

Battery Powered Hydraulic Tool

图例详解 INTRODUCTION



Battery Powered Hydraulic Tool

图例详解 INTRODUCTION



HL-300B 充电式液压钳

BATTERY POWERED CRIMPING TOOL




产品特点

- ▲ 360°自由旋转翻开型钳头, 可适用于多角度的应用场合
- ▲ 人体工学设计适用于单手操作, 更轻巧更方便
- ▲ 双极液压系统和强有力的电机保证快速压接
- ▲ 压接操作完成后自动复位
- ▲ 在压接过程出错时, 可通过手动复位将活塞退回原位
- ▲ 白色LED对操作空间的照明, 以及电池没电和机器无压力时, 机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时, 温度传感器保护工具不被烧坏

Features:

- ▲ 360°flip-top latch crimping head, working at any site.
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick crimp
- ▲ Automatically fully retract ram and stop motor when complete crimp
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ A temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-300B
Output Force出力:	60KN
Stroke行程:	17mm
Crimping Range压接范围:	CU10-300mm ²
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	2hours
Voltage of charger充电电压:	110-240V AC
Crimping dies模具:	10,16,25,35,50,70,95,120,150,185,240,300mm ²
Standard accessories:	Crimping tool:1pc Crimping dies:12sets
产品标准配置:	Battery:2pcs Charger:1pc Shoulder strap:1pc Plastic case:1pc

产品标准配置

- ▲ 压接工具1台
- ▲ 磨具12付
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及机器故障提示

正在运行
电压: 19.4V
温度25°C
压力: 62MPa
次数1000

HL-400B 充电式液压钳

BATTERY POWERED CRIMPING TOOL



产品特点

- ▲ 360°自由旋转C型钳头, 压接管放入取出更方便
- ▲ 人体工学设计适用于单手操作, 更轻巧更方便
- ▲ 双极液压系统和强有力的电机保证快速压接
- ▲ 双压接, 压接操作完成后自动复位
- ▲ 在压接过程出错时, 可通过手动复位将活塞退回原位
- ▲ 白色LED对操作空间的照明以及电池没电和机器无压力时, 机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时, 温度传感器保护工具不被烧坏

Features:

- ▲ 360°rotary with c-shape head, cable can be directly placed between dies
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick crimp
- ▲ Wide crimping, automatically fully retract ram and stop motor when complete crimp
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and and require short charging time
- ▲ A temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-400B
Output Force出力:	120KN
Stroke行程:	42mm
Crimping Range压接范围:	CU16-400mm ²
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	2hours
Voltage of charger充电电压:	110-240V AC
Crimping dies模具:	16,25,35,50,70,95,120,150,185,240,300,400mm ²
Standard accessories:	Crimping tool:1pc Crimping dies:12sets
产品标准配置:	Battery:2pcs Charger:1pc Shoulder strap:1pc Plastic case:1pc

产品标准配置

- ▲ 压接工具1台
- ▲ 磨具12付
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及机器故障提示

正在运行
电压: 19.4V
温度25°C
压力: 70MPa
次数1000

HL-45B 充电式线缆剪

BATTERY POWERED CABLE CUTTER



产品特点

- ▲ 360°自由旋转开型剪切头，方便电缆放进与取出
- ▲ 人体工学设计适用于单手操作，更轻巧更方便
- ▲ 双极液压系统和强有力的电机保证快速剪切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程出错时，可通过手动复位将活塞退回至原位
- ▲ 白色LED对操作空间的照明，以及电池没电和机器无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时，温度传感器保护工具不被烧坏



Features:

- ▲ 360°pin-locked rotary cutting head,easily opened if remove locking pin
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in caea of need
- ▲ LED illuminate work area & low battery charges or lacking pressure,an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Atenperature sensor makes the tool stop working automatically When the temperture over 60°C under long time working

Model 型号	HL-45B
Output Force出力:	60KN
Stroke行程:	50mm
Crimping Range剪切范围:	Max φ45mm (Cu/Al cable, ACSR, wire rope)
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电电压:	110-240V AC
Standard accessories:	Cutting tool:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc

产品标准配置

- ▲ 剪切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及机器故障提示

正在运行

电压: 19.4V
温度25°C
压力: 62MPa
次数1000

HL-85B 充电式线缆剪

BATTERY POWERED CABLE CUTTER



产品特点

- ▲ 360°自由旋转开型剪切头，方便电缆放进与取出
- ▲ 人体工学设计适用于单手操作，更轻巧更方便
- ▲ 双极液压系统和强有力的电机保证快速剪切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程出错时，可通过手动复位将活塞退回至原位
- ▲ 白色LED对操作空间的照明，以及电池没电和机器无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时，温度传感器保护工具不被烧坏



Features:

- ▲ 360°pin-locked rotary cutting head,easily opened if remove locking pin
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in caea of need
- ▲ LED illuminate work area & low battery charges or lacking pressure,an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Atenperature sensor makes the tool stop working automatically When the temperture over 60°C under long time working

Model 型号	HL-85B
Output Force出力:	60KN
Stroke行程:	80mm
Crimping Range剪切范围:	Max φ85mm (Cu/Al cable, ACSR, wire rope)
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电电压:	110-240V AC
Standard accessories:	Cutting tool:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc

产品标准配置

- ▲ 剪切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及机器故障提示

正在运行

电压: 19.4V
温度25°C
压力: 62MPa
次数1000

剪刀式 充电式线缆剪

BATTERY POWERED CABLE CUTTER



产品特点

- ▲ 360°自由旋转开型剪切头，方便电缆放进与取出
- ▲ 人体工学设计适用于单手操作，更轻巧更方便
- ▲ 双极液压系统和强有力的电机保证快速剪切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程出错时，可通过手动复位将活塞退回至原位
- ▲ 白色LED对操作空间的照明，以及电池没电和机器无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时，温度传感器保护工具不被烧坏



Features:

- ▲ 360°pin-locked rotary cutting head,easily opened if remove locking pin
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in caea of need
- ▲ LED illuminate work area & low battery charges or lacking pressure,an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Atenperature sensor makes the tool stop working automatically When the temperture over 60°C under long time working

Model 型号	HL-65/HL-85/HL-105
Output Force出力:	60KN/60KN/120KN
Stroke行程:	40mm
CU/Al cable铜铝线:	Maxφ65mm/85mm/105mm
ACSR铝绞钢铝线:	Maxφ45mm/65mm/85mm
Battery电池:	DC 18V 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电电压:	110-240V AC
Standard accessories:	Cutting tool:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc

产品标准配置

- ▲ 剪切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及机器故障提示

正在运行

电压: 19.4V
温度25°C
压力: 70MPa
次数1000

HL-MM36B 充电式螺帽破切器

BATTERY POWERED NUT SPLITTER



产品特点

- ▲ 360°自由旋转钻头，可适用于多角度的应用场合
- ▲ 人体工学设计适用于单手操作，更轻巧更方便
- ▲ 双极液压系统和强有力的电机保证快速破切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程出错时，可通过手动复位将活塞退回至原位
- ▲ 白色LED对操作空间的照明，以及电池没电和机器无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时，温度传感器保护工具不被烧坏



Features:

- ▲ 360° rotary head,working at any site
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cutting
- ▲ Manually retract ram in caea of need
- ▲ LED illuminate work area & low battery charges or lacking pressure,an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Atenperature sensor makes the tool stop working automatically When the temperture over 60°C under long time working

Model 型号	HL-MM36B
Output Force出力:	120KN
Stroke行程:	30mm
Crimping Range破切范围:	M8-M24
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电电压:	110-240V AC
Standard accessories:	Nut Splitter:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc

产品标准配置

- ▲ 剪切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及机器故障提示

正在运行

电压: 19.4V
温度25°C
压力: 70MPa
次数1000

HL-1550B 充电式液压力管钳

BATTERY POWERED PIPE CRIMPING TOOL



产品特点

- ▲ 360°自由旋转剪刀式钳头，可适用于多角度的应用场合
- ▲ 人体工程学设计适用于单手操作，更轻巧更方便
- ▲ 双级液压系统和强有力的电机保证快速压接
- ▲ 剪切操作完成后自动复位
- ▲ 在压接过程出错时，可通过手动复位将活塞退回至原位
- ▲ 白色LED对操作空间的照明，以及电池没电和机器无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时，温度传感器保护工具不被烧坏

Features:

- ▲ 360°scissors type of rotary head, working at any site.
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in caea of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Atenperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-1550B
Output Force 出力:	60KN
Stroke行程:	28mm
Battery 电池:	DC 18V 4.0Ah Li-Ion
Charging time 充电时间:	90minutes
Voltage of charger 充电电压:	110-240V AC
Option crimping dies 模具:	3 sets (TH, U, SV)
TH profile:	16 20 26 32
U profile:	16 20 25 32
SV profile:	15 20 25 32 40 50
Standard accessories:	Crimping tool: 1pc Battery: 2pcs Charger: 1pc
产品标准配置:	Shoulder strap: 1pc Plastic case: 1pc

产品标准配置

- ▲ 破切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及机器故障提示

正在运行
电压: 19.4V
温度: 52.5°C
压力: 62MPa
次数: 1000

HL-1632 充电式液压力管钳

BATTERY POWERED PIPE CRIMPING TOOL



OLED显示屏:
▲ 显示电压 ▲ 温度
▲ 次数 ▲ 压力
▲ 维修保养提醒



产品特点

- ▲ 360°自由旋转剪刀式钳头，可适用于多角度的应用场合
- ▲ 人体工程学设计适用于单手操作，更轻巧更方便
- ▲ 双级液压系统和强有力的电机保证快速压接
- ▲ 剪切操作完成后自动复位
- ▲ 在压接过程出错时，可通过手动复位将活塞退回至原位
- ▲ 白色LED对操作空间的照明，以及电池没电和机器无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时，温度传感器保护工具不被烧坏

Features:

- ▲ 360°scissors type of rotary head, working at any site.
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in caea of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Atenperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working

Model 型号	HL-1632
Output Force 出力:	32KN
Stroke行程:	40mm
Battery 电池:	DC 18V 2.0Ah Li-Ion
Charging time 充电时间:	1hours
Voltage of charger 充电电压:	110-240V AC
Option crimping dies 模具:	3 sets (TH, U, SV)
TH profile:	16 20 26 32
U profile:	16 20 25 32
SV profile:	15 20 25 32 40 50
Standard accessories:	Crimping tool: 1pc Battery: 2pcs Charger: 1pc
产品标准配置:	Shoulder strap: 1pc Plastic case: 1pc

产品标准配置

- ▲ 破切工具1台
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及机器故障提示

正在运行
电压: 19.4V
温度: 52.5°C
压力: 58MPa
次数: 1000

HL-300B 充电式液压力钳

BATTERY POWERED CRIMPING TOOL



Model 型号	HL-300B
Output Force 出力:	60KN
Stroke行程:	17mm
Crimping Range 压接范围:	CU10-300mm²
Battery 电池:	18V DC 4.0Ah Li-Ion
Charging time 充电时间:	2hours
Voltage of charger 充电电压:	110-240V AC
Crimping dies 模具:	10,16,25,35,50,70,95,120,150,185,240,300mm
Standard accessories:	Crimping tool: 1pc Crimping dies: 12sets
产品标准配置:	Battery: 2pcs Charger: 1pc Shoulder strap: 1pc Plastic case: 1pc

HL-400B 充电式液压力钳

BATTERY POWERED CRIMPING TOOL



Model 型号	HL-400B
Output Force 出力:	120KN
Stroke行程:	42mm
Crimping Range 压接范围:	CU16-400mm²
Battery 电池:	18V DC 4.0Ah Li-Ion
Charging time 充电时间:	2hours
Voltage of charger 充电电压:	110-240V AC
Crimping dies 模具:	16,25,35,50,70,95,120,150,185,240,300,400mm
Standard accessories:	Crimping tool: 1pc Crimping dies: 12sets
产品标准配置:	Battery: 2pcs Charger: 1pc Shoulder strap: 1pc Plastic case: 1pc

HL-45B 充电式线缆剪

BATTERY POWERED CABLE CUTTER



Model 型号	HL-45B
Output Force 出力:	60KN
Stroke行程:	50mm
Crimping Range 剪切范围:	Max φ45mm (Cu/Al cable, ACSR, wire rope)
Battery 电池:	18V DC 4.0Ah Li-Ion
Charging time 充电时间:	90minutes
Voltage of charger 充电电压:	110-240V AC
Standard accessories:	Cutting tool: 1pc Battery: 2pcs Charger: 1pc
产品标准配置:	Shoulder strap: 1pc Plastic case: 1pc

HL-85B 充电式线缆剪

BATTERY POWERED CABLE CUTTER



Model 型号	HL-85B
Output Force 出力:	60KN
Stroke行程:	80mm
Crimping Range 剪切范围:	Max φ85mm (Cu/Al cable, ACSR, wire rope)
Battery 电池:	18V DC 4.0Ah Li-Ion
Charging time 充电时间:	90minutes
Voltage of charger 充电电压:	110-240V AC
Standard accessories:	Cutting tool: 1pc Battery: 2pcs Charger: 1pc
产品标准配置:	Shoulder strap: 1pc Plastic case: 1pc